

**FOR IMMEDIATE RELEASE**  
March 25, 2020



Gary D. Young, DFC|Emergency Management Coordinator  
[gyoung@copperascovetx.gov](mailto:gyoung@copperascovetx.gov)  
Fax: (254)542-8953

415 S. Main Street  
Copperas Cove, Texas  
Phone: (254)547-2514

### **COVID-19, Coronavirus Test Confirmed Positive**

#### **Wednesday, March 25, 2020**

Copperas Cove, Texas -- The City has been informed that a resident of Copperas Cove has tested positive for COVID-19. The resident has voluntarily quarantined themselves until such time as they are well.

The resident was tested at Scott and White Medical Center in Temple. The test result was conveyed to Texas Department of State Health Services (TDSHS). Staff with TDSHS informed Coryell County Judge Roger Miller who subsequently notified City Manager Ryan Haverlah.

Residents are reminded not to panic, please continue to follow social distance requirements and to limit travel to reasons necessary only to sustain those minimum essential needs of your household.

Information about the Coronavirus (COVID-19) is being updated on a daily basis. In order to educate yourself and to stay abreast of the most current information or if you have symptoms and need guidance, please view this website: [www.coronavirus.gov](http://www.coronavirus.gov) This website contains the most current information available and provides answers to the most commonly asked questions

A special City Council meeting has been scheduled for Thursday evening, March 26th, at 5pm in the Council Chambers to further discuss the previously issued Disaster Declaration and approve an amendment/extension. This will be a telephonic meeting in order to advance the public health goal of social distancing. The public may participate in the meeting by dialing in to the following toll-free number, (888)475-4499. Written questions or comments may be also be submitted up to two hours before the meeting by emailing Lisa Wilson, City Secretary, at [lwilson@copperascovetx.gov](mailto:lwilson@copperascovetx.gov).

###