



www.mgoconnect.org

1-866-957-3764

Download the app to your phone or tablet for best results



UL 2017 DOOR ALARM



Please refer to the City of Copperas Cove website to view the most current fee schedule.

www.copperascovetx.gov

1. The pool is not located in any easement or generally no closer than ten (10) feet from a rear property line and generally seven and one - half (7 1/2) feet from any interior side property line.
2. A barrier (fence) of not less than forty-eight (48") inches to the top as measured from ground level to the top of the barrier (fence) on the side that faces away from the pool, with **self - closing and self - latching gates at all entrances**, which completely encloses either the pool area or surrounding the yard area.

THE POOL MUST NOT BE FILLED UNTIL THE BARRIER (FENCE) IS INSTALLED.

Self-closing Gate Latch Requirements

Attached to the outside of gate on 6' fence: 54" inches tall.

Inside of gate: If fence is 4' feet tall, the latch must be at least 3" inches from top of fence.

3. All lighting of the pool is shielded or directed to face away from adjacent properties. If lights are not individually shielded, they shall be installed so that direct rays or glare from the lights does not encroach on adjacent properties
4. No broadcasting system is to be used for the purpose of advertising the operation of the pool or for the attraction of persons to the premises. This does not prevent a public address system for supervision of the pool and safety of swimmers.


5. All electric wiring must conform to the most current adopted City code. The outlet supplied for any cord- attached equipment must be ground fault circuit interceptor (GFCI) protected. All equipment, fences and any metal within ten (10) feet must be grounded.
6. All doors with direct access to the pool area shall be equipped with a **UL 2017 alarm**, which produces an audible warning when the door and its door screen, if present, are opened.
7. Upon completion, all pools and spas must have a final inspection approval prior to use.
8. All overhead or underground electric service must meet clearances set forth by Oncor Electric Delivery Co. **NO ATTEMPT SHOULD BE MADE TO MEASURE THE HEIGHT OF ELECTRICAL LINES FROM THE GROUND. ** posted on city website.**

Note: If your electric service provider is **Hamilton Electric**, please contact their overhead or underground electric clearances guidelines.

THE POOL MAY NOT BE FILLED UNTIL THE FINAL INSPECTION HAS PASSED.

A permit is not required for a pool less than 24" inches in height, but will require you to follow state law.

SWIMMING POOL SITE PLAN



The site plan must show the distance from all property lines and from the house.

The site plan must also show where the GFCI protected outlet is located.

NOTE: A pool pump **may not** be powered by an extension cord.